


MOTOTRBO R7 SERIES TWO-WAY RADIO ACCESSORIES



TABLE OF CONTENTS

MUTUTRBU R/ PURTABLE RADIO ACCESSORIES	3
Remote Speaker Microphones (RSM)	4
Operations Critical Wireless Bluetooth Accessories	5
Surveillance Accessories and Earpieces	6
Remote Speaker Microphones Accessories with Standard 3.5mm Jack	6
Surveillance Accessory Replacement Kits	7
Remote Speaker Microphones Replacement Kits	7
Headsets	8
BM Peltor Headsets	8
PTT Adapter Configurations	8
Batteries	9
Charging Solutions (Single Unit)	9
Charging Solutions Replacement Kits	10
/ehicle Charging Solutions	10
Charging Solutions (Multi-Unit)	11
MPRES Battery Management Tools	12
Carry Solutions	13
Programming Cables	13
Antennas	14
Antennas Accessories	14



Back to contents

REMOTE SPEAKER MICROPHONES

The MOTOTRBO R7 has a re-engineered accessory port that adds more robustness and longevity when connected to remote speaker microphones and other compatible accessories.

COMPATIBILITY	ACCESSORY		FEATU	IRES							
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	WINDPORTING, NOISE-CANCELING OR DUAL MIC. NOISE SUPPRESSION	SYSTEM VOLUME CONTROL (STEPS)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP Rating	HAZLOC CAPABLE**	DIMENSIONS (MM) H X W X D
Ш	RM780 IMPRES Windporting Remote Speaker Microphone, large, work-when-wet, IP68	PMMN4128	•	•	Windporting with noise suppression	•	2 programmable + 1 emergency	•	IP68	UL	Large 77 x 58 x 25 (without clip)
The state of the s	RM760 IMPRES Windporting Remote Speaker Microphone, large basic, work-when-wet, IP68	PMMN4140	•	•	Windporting with noise suppression			•	IP68	UL	Large 77 x 58 x 25 (without clip)
R7	RM730 IMPRES Windporting Remote Speaker Microphone, small, IP68	PMMN4131	•	•	Windporting with noise suppression		Emergency	•	IP68	UL	Small 70 x 55 x 22 (without clip)

^{**}HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.



New GCAI Mini Connector
Compact wired accessory connector



RM780 RSM







LOUD AND CLEAR AUDIO

When pairing a RM780, RM760, or RM730 Remote Speaker Microphone with the R7 radio, the enhanced single input noise cancelling feature will suppress the background noise for clearer communication.

Innovative audio technology enables you to hear and be heard over crowd noise, machinery and blaring sirens. Motorola Solutions' Wind and Water Shielding technology ensures audio is loud and clear.

Rugged and dependable, the RM Series Remote Speaker Microphones are IP68 rated for use in harsh environments and weather. The RM780 and RM760 also meet the work-when-wet requirements having enhanced water drainage and top quality materials to ensure you get the best audio experience.

INTELLIGENT AUDIO: YOUR CALLS, ALWAYS AT THE PERFECT VOLUME

Set your volume once and depend on your accessory to listen for changes in background noise, adjusting the volume automatically.



OPERATIONS CRITICAL WIRELESS BLUETOOTH® ACCESSORIES

COMPATIBILITY	ACCESSORY		FEATURES	S											VERTICAL MARK	(ETS: Recommend	lations based o	n typical ı	use case fo	or each vertic	al listed.
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH / STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING C	HAZLOC APABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY		EDUCATION (CAMPUSES)
R7	WM500 Wireless Remote Speaker Microphone (compatible with PMLN7560 3.5mm earpiece). Requires firmware R04.00.00 or newer.	PMMN4127	N/A	Omni directional, Windporting	On Microphone	18	2	128	80 x 57.5 x 24.5	Operations Critical	STANDARD	30	IP67	N/A	•	•	•		•	•	•

Verify the firmware on the WM500 RSM and update the firmware to R04.00.00 by downloading the Accessory Manager App, found in the Google Play Store or Apple App store.



Scan QR Code to download the Accessory Manager Application



SURVEILLANCE ACCESSORIES AND EARPIECES

COMPATIBILITY	ACCESSORY		FEATURES							VERTICAL MAR	RKETS: Recommen	dations based	on typical	use case fo	r each vertic	al listed.
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	IMPRES™ 1-Wire Surveillance Kit with Translucent Tube, Loud Audio, Black	PMLN8341	•	•	Clear Rubber Eartip				UL	•	•	•		•	•	•
	IMPRES™ 2-Wire Surveillance Kit with Translucent Tube, Loud Audio, Black	PMLN8342	•	•	Clear Rubber Eartip	Ň			UL	•	•	•		•	•	•
R7	IMPRES™ 3-Wire Surveillance Kit with Translucent Tube, Loud Audio, Black	PMLN8343	•	•	Clear Rubber Eartip	Ĭ	Ĭ		UL	•	•	•		•	•	•
	IMPRES™ 2-Wire Swivel Earhook with Removable Eartip, Loud Audio, Black	PMLN8295	•	•	Removable Black Rubber Eartip	Ň			UL	•	•	•		•	•	•
	IMPRES™ 1-Wire Single Earbud with Removable Earhook, Loud Audio, Black	PMLN8337	•	•	Single Earbud		>			•	•	•		•	•	•

REMOTE SPEAKER MICROPHONES ACCESSORIES WITH STANDARD 3.5MM JACK

These earpieces give you the flexibility to receive radio communications more discreetly.

COMPATIBILITY	ACCESSORY			FEATURES	
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	HAZLOC CAPABLE**
		Receive-Only Earpiece with Translucent Tube, Loud Audio (for PMMN4128, PMMN4131, PMMN4140)	PMLN8120	Clear Rubber Eartip	UL
R7	W.	Receive-Only Earpiece with Translucent Tube and Rubber Eartip (for PMMN4127)	PMLN7560	Clear Rubber Eartip	

^{**}HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

SURVEILLANCE ACCESSORY REPLACEMENT KITS

COMPATIBILITY	ACCESSOR	RY		FEATURES			
PORTABLE RADIOS	DESCRIPT	ION	PART NUMBER	EARPIECE TYPE	COMPATIBLE EARPIEC	E	
	D	Replacement Quick Disconnect Translucent Tube with Clear Rubber Eartip	PMLN8092	Clear Rubber Eartip		MLN8342 MLN8343	
	6	Replacement Rubber Eartip, Small (5 per pack)	PMLN8068				
	6	Replacement Rubber Eartip, Medium (5 per pack)	PMLN8069	Black Rubber Eartip	PMLN8295		
R7	6	Replacement Rubber Eartip, Large (5 per pack)	PMLN8070				
	0	Replacement Rubber Sleeve, Small (25 per pack)	PMLN8363				
	0	Replacement Rubber Sleeve, Medium (25 per pack)	PMLN8364	Black Rubber Sleeve Clear Rubber Eartip	PMLN8337	337	
	0	Replacement Rubber Sleeve, Large (25 per pack)	PMLN8365				

REMOTE SPEAKER MICROPHONES REPLACEMENT KITS

COMPATIBILITY	ACCESSORY		
PORTABLE RADIOS	DESCRIPTIO	N	PART NUMBER
ı	0	Replacement Coil Cord Kit for PMMN4128, PMMN4131, PMMN4140	PMKN4232
	•	Low Profile Swivel Clip for PMMN4128, PMMN4131, PMMN4140	PMLN8121
R7	-	Replacement Dust Cover (10 per pack) for PMMN4128, PMMN4140	PMLN8122
	•	Replacement Dust Cover (10 per pack) for PMMN4131	PMLN8253





HEADSETS

COMPATIBILITY	ACCESSORY		FEATURES									VERTICAL MARK	ETS: Recommenda	tions based on	typical u	se case fo	each vertica	als listed.
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	HEADSET TYPE	EARPIECE STYLE	IMPRES	INTELLIGENT AUDIO	NOISE REDUCTION RATING	MICROPHONE	PTT	WEIGHT	HAZLOC Capable**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	Heavy Duty Behind-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN8085	Behind-the-Head	Dual-Muff	•	•	24 dB	Boom	On Ear Cup	Heavy Duty	UL	•	•	•	•			
R7	Heavy Duty Over-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN8086	Over-the-Head	Dual-Muff	•	•	24 dB	Boom	On Ear Cup	Heavy Duty	UL	•	•	•	•			

^{**}HazLoc Details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL-approved MOTOTRBO portable.

3M PELTOR HEADSETS

The 3M Peltor CH-3 Series is designed for industrial users working in high noise environments.

	_	•	3 3														
COMPATIBILITY	ACCESSORY			FEATURES							VERTICAL MARKE	TS: Recommendatio	ns based on typ	ical use cas	se for each v	ertical listed.	
PORTABLE RADIOS	DESCRIPTION	N	PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	NOISE REDUCTION RATING (NRR)	MICROPHONE	PTT (MOTOTRBO)	HAZLOC CAPABLE**	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
PTT ADAPTE	R CONFIGUE	RATIONS															
	S	CH-3 Series Over-the-Head Headset with Nexus Connector (See user guide for replacement parts)	PMLN8265	Over-the-Head	Nexus	Dual-Ear	26 dB	Boom	Requires PTT Adapter PMLN8297		•	•	•	•			
		CH-3 Series Neckband Headset with Nexus Connector (See user guide for replacement parts)	PMLN8266	Neckband	Nexus	Dual-Ear	24 dB	Boom	Requires PTT Adapter PMLN8297		•	•	•	•			
R7		CH-3 Series Hard Hat Attached with Nexus Connector (Hat not included) (See user guide for replacement parts)	PMLN8267	Hard Hat Attached	Nexus	Dual-Ear	24 dB	Boom	Requires PTT Adapter PMLN8297		•	•	•	•			
	9	PTT Nexus Adapter (Requires headset - options listed above)	PMLN8297	N/A	N/A	N/A	N/A	N/A	N/A		•	•	•	•			

BATTERIES

Slim, high capacity batteries, powered by new lithium cells. Our batteries are uniquely designed and rigorously tested, not compromising on quality.

COMPATIBILITY	ACCESSORY			FEATURES							
PORTABLE RADIOS	DESCRIPTION	N	PART NUMBER	IMPRES*	CHEMISTRY	TYPICAL CAPACITY (mAh)	DIMENSIONS (MM) H X L X D	WEIGHT (GRAMS)	HAZLOC CAPABLE**	IP RATING	OPERATING TEMPERATURE (DISCHARGE)
		Motorola Original Li-lon 2450mAh IP68 Battery	PMNN4808		Li-lon	2450	116 x 55 x 23	148		IP68	-20°C to +60°C
		IMPRES Li-Ion 2200mAh IP68 Slim Battery	PMNN4807	•	Li-lon	2200	116 x 55 x 17	118		IP68	-20°C to +60°C
R7		IMPRES Li-Ion 2850mAh IP68 Slim Battery	PMNN4809	•	Li-lon	2850	116 x 55 x 17	135		IP68	-20°C to +60°C
		IMPRES Li-Ion 3200mAh IP68 TIA4950 Battery	PMNN4810	•	Li-lon	3200	116 x 55 x 23	168	UL	IP68	-20°C to +60°C

^{*} MOTOTRBO R7 IMPRES batteries include a self-calibration feature when used with IMPRES Single-Unit Charger and IMPRES 2 Multi-Unit Fast Charger (SW ver V2.00 and above) listed under Charging Solutions for MOTOTRBO R7.

CHARGING SOLUTIONS

Choose from a variety of solutions including single-unit, multi-unit, travel and in-vehicle chargers and be confident your radio is charged and ready to go the moment you need it. Charge a single battery or while it is attached to your R7 radio.

COMPATIBILITY	ACCESSORY			FEATURES				
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
n.A.		IMPRES Single-Unit Charger, EURO Plug	PMPN4577A	•	Li-lon, NiMh	240 VAC	51 x 88 x 94	1
	Will.	IMPRES Single-Unit Charger, UK Plug	PMPN4572A	•	Li-lon, NiMh	240 VAC	51 x 88 x 94	1
R7		IMPRES Single-Unit Charger, US Plug	PMPN4576A	•	Li-lon, NiMh	120 VAC	51 x 88 x 94	1



WHAT IS IMPRES SELF-CALIBRATION?



IMPRES batteries with self calibration feature can be identified through this logo on the battery label. These batteries do not require long hours of IMPRES calibration or recondition process, when charged with:



- IMPRES Single Unit Charger




- IMPRES 2 Multi Unit Charger (SW ver V2.00* and above)

* If the R7 IMPRES battery is initially inserted into the charger with older software, it will begin the initialization process with a solid yellow indication. Do not remove the battery from the charger until the charger indicates solid green. This process may take up to 8 hours.

HOW DO IMPRES BATTERIES AND CHARGERS SAVE MONEY?

They reduce the number of spare batteries you would need to buy and increase the time before you need replacements. Only IMPRES batteries can be charged 150 additional times versus a standard battery – a 43% increase in charge cycles. If you charge radios two to three times a week, you will get more than an extra year out of every IMPRES battery

ONLY IMPRES BATTERIES CAN BE CHARGED 150 TIMES MORE THAN STANDARD BATTERIES AND LAST 43% LONGER



CHARGE CYCLES

^{**} HAZLOC details: For more information on which accessories are approved by Underwriters' Laboratory (UL) with certain MOTOTRBO models, please consult the manual provided with each UL- approved MOTOTRBO portable.



CHARGING SOLUTIONS REPLACEMENT KITS

ACCESSORY			FEATURES				
DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
	Replacement Power Supply for IMPRES Single-Unit Charger, EURO Plug	PS000037A02			240 VAC		
	Replacement Power Supply for IMPRES Single-Unit Charger, UK Plug	PS000037A02			240 VAC		
R7	Replacement Power Supply for IMPRES Single-Unit Charger, US Plug	25009297001			120 VAC		







VEHICLE CHARGING SOLUTIONS

COMPATIBILITY	ACCESSORY		FEATURES					
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
R7	IMPRE Mount	ES Single-Unit Rapid Rate Vehicular Charger, Heavy-Duty Permanent nt	NNTN7616	•	Li-lon, NiMh	12 VDC (hardwire)	200 x 83 x 97	1
	Travel Base,	el Charger, Rapid Rate with Voltage Regulated Adapter, Custom Charger , Mounting Bracket and Coil Cord	NNTN8525		Li-lon, NiMh	12 VDC Cigarette Lighter Adapter	58 x 64 x 67	1



CHARGING SOLUTIONS

Charge up to 6 R7 radios or batteries simultaneously with our IMPRES 2 Multi-Unit Fast Charger.

COMPATIBILITY	ACCESSOR	ACCESSORY		FEATURES				
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS
		IMPRES 2 Multi-Unit Fast Charger with 1 Display , EURO Plug	PMPN4289	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6
		IMPRES 2 Multi-Unit Fast Charger with 1 Display , UK Plug	PMPN4290	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6
		IMPRES 2 Multi-Unit Fast Charger with 1 Display , US Plug	PMPN4284	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6
The state of the s		Wall Mount Bracket for IMPRES 2 Multi-Unit Charger	BR000272A01					
R7		Interchangeable Charging Pocket	AS000129A01					
		Replacement Power Supply, 100-240 VAC without Power Cord	PS000242A01			100-240 VAC		

ACCESSORY			FEATURES					
DESCRIPTION		PART Number	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) H X L X D	NUMBER OF POCKETS	
	Power Cord for IMPRES 2 Multi-Unit Charger, EURO Plug	3087791G04	2300					
	Power Cord for IMPRES 2 Multi-Unit Charger, UK Plug	3087791G07				2300		
	Power Cord for IMPRES 2 Multi-Unit Charger, US Plug	3087791G01				2300		

^{*}MUC Software version should be upgraded to v2.02. Chargers can be updated to the latest software version using the MSI Charger Reprogrammer Software — an installation guide is included in the software download package.



MOTOTRBO PORTABLE RADIO ACCESSORIES




IMPRES BATTERY MANAGEMENT TOOLS

COMPATIBILITY	ACCESSORY	
PORTABLE RADIOS	DESCRIPTION	PART NUMBER
Щ	IMPRES Battery Fleet Management License Key, EMEA	HKVN4037
R7	IMPRES Battery Fleet Management Software for EMEA is available to download from Motorola Solutions' website on the IMPRES Battery Management Application page.	n/a

IMPRES BATTERY MANAGEMENT TOOLS

With the unique IMPRES Battery Fleet Management system, you can efficiently manage your batteries with real-time data not available with other manufacturers' batteries. Our easy-to-use software application shows you if there is enough capacity for a full shift, alert you to low capacity batteries, prevent downtime and eliminate disposing of batteries prematurely.

IMPRES BATTERY FLEET MANAGEMENT SOFTWARE REPORTS



IMPRES battery fleet management active battery report



CARRY SOLUTIONS

Secure your R7 radio with a variety of attachment options including high quality leather cases and belt clips.

COMPATIBILITY	ACCESSO	DRY		FEATURES				
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	MATERIAL	BELT LOOP / CLIP DIMENSION (INCHES)	SWIVEL / FIXED	DISPLAY / Non- Display	
	(Hard Leather Case with 2.5 inch Swivel Belt Loop (display model)	PMLN8300	Hard Leather	2.5	Swivel	Display	
		Hard Leather Case with 3 inch Fixed Belt Loop (display model)	PMLN8299	Hard Leather	3	Swivel	Display	
		Hard Leather Case with 3 inch Fixed Belt Loop (display model)	PMLN8301	Hard Leather	3	Fixed	Display	
		Hard Leather Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN8303	Hard Leather	2.5	Swivel	Non-Display	
		Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)	PMLN8302	Hard Leather	3	Swivel	Non-Display	
R7	1	Hard Leather Case with 3 inch Fixed Belt Loop (non-display model)	PMLN8304	Hard Leather	3	Fixed	Non-Display	
		Replacement 2.5 inch Swivel Belt Loop	PMLN5610	Hard Leather	2.5	Swivel	Display/Non Display	
		Replacement 3 inch Leather Swivel Belt Loop	PMLN5611	Hard Leather	3	Swivel	Display/Non Display	
		Spring Action 2 inch Belt Clip	PMLN4651	Plastic	2		Display/Non Display	
		Spring Action 2.5 inch Belt Clip	PMLN7008	Plastic	2.5		Display/Non Display	

PROGRAMMING CABLES

COMPATIBILITY	ACCESSORY					
PORTABLE RADIOS	DESCRIPTION	PART NUMBER				
R7	Mini GCAI Interface cable connects the radio to your computer through the USB port. Allows full rate data transfer such as audio recordings from the device to the computer.	PMKN4265				



COMPATIBILITY	ACCESSORY	ACCESSORY				
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	MATERIAL		
		Waterproof Bag with Large Strap for Securely Carrying Motorola Two-Way Radios	HLN9985			
		Universal Chest Pack with Radio Holder, Pen Holder and Velcro Secured Pouch	HLN6602			
Щ		Adjustable Nylon Carrying Strap	NTN5243	Nylon		
The state of the s	k -	Leather Radio Strap	RLN6486	Leather		
R7		Leather Radio Strap - XL	RLN6487	Leather		
	Obg	Anti-Sway Strap for Leather Radio Straps	RLN6488	Leather		
		Nylon Wrist Strap for Securely Carrying Motorola Two-Way Radios	PMLN6074	Nylon		
	A	Mini GCAI Dust Cover Whenever, accessory is not in use, users are advised to install dust cover	PMHN4429	Plastic		

MOTOTRBO PORTABLE RADIO ACCESSORIES



ANTENNAS

COMPATIBILITY	ACCESSORY	ACCESSORY			FEATURES			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	LENGTH (CM)	ТҮРЕ	
Ш	Î	UHF SHORT Stubby Antenna (400-450 MHz)	AN000350A01	UHF	400-450	6	Short Stubby	
The state of the s		UHF SHORT Stubby Antenna (400-527 MHz)	AN000351A01	UHF	440-490	6	Short Stubby	
R7		UHF Stubby Wideband (400-527 MHz)	AN000348A01	UHF	400-527	9	Stubby	

ANTENNAS ACCESSORIES

COMPATIBILITY	ACCESSORY		
PORTABLE RADIOS	DESCRIPTION		PART NUMBER
		Gray Antenna ID Bands (pack of 10pcs)	32012144001
		Yellow Antenna ID Bands (pack of 10pcs)	32012144002
		Green Antenna ID Bands (pack of 10pcs)	32012144003
R7		Blue Antenna ID Bands (pack of 10pcs)	32012144004
		Purple Antenna ID Bands (pack of 10pcs)	32012144005

COMPATIBILITY	ACCESSORY			FEATURES			
PORTABLE RADIOS	DESCRIPTION	N	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	LENGTH (CM)	ТҮРЕ
		UHF/GPS Combination Wideband Slim Whip Antenna (400-527 MHz)	PMAE4079	UHF	403-527	15	Whip
		VHF/GPS Combination Helical Antenna (136-155 MHz)	PMAD4117	VHF	136-155	15	Helical
		VHF/GPS Combination Helical Antenna (144-165 MHz)	PMAD4116	VHF	144-165	15	Helical
	E S II UHE	VHF/GPS Combination Helical Antenna (152-174 MHz)	PMAD4118	VHF	152-174	15	Helical
		VHF/GPS Combination Wideband Slim Whip Antenna (400-527 MHz)	PMAD4147	VHF	136-174	20	Whip
		UHF/GPS Combination Stubby Antenna (400-450 MHz)	PMAE4069	UHF	403-450	11	Stubby
R7		UHF/GPS Combination Stubby Antenna (440-490 MHz)	PMAE4070	UHF	440-490	11	Stubby
	B UHF	UHF/GPS Combination Stubby Antenna (470-527 MHz)	PMAE4071	UHF	470-527	11	Stubby
		VHF/GPS Combination Stubby Antenna (136-148 MHz)	PMAD4119	VHF	136-148	9	Stubby
	w w	VHF/GPS Combination Stubby Antenna (146-160 MHz)	PMAD4120	VHF	146-160	9	Stubby
		UHF/GPS Combination Stubby Antenna for the 403-433 MHz Range	PMAE4021	UHF	403-433	9	Stubby



For more information on Motorola Solutions accessories, visit **motorolasolutions.com/mototrbo**



Motorola Solutions Ltd. Nova South, 160 Victoria Street, London, SW1E 5LB, United Kingdom.
Availability is subject to individual country law and regulations. All specifications shown are typical unless otherwise stated and are subject to change without notice.

